

 **REFPRO**
REFRIGERATION

PRODUCT CATALOGUE

 **REFPRO**
REFRIGERATION



LONGER LASTING REFRIGERATION SOLUTIONS BY DESIGN

RefPro was established in 2006 by BT Commercial and B&J Refrigeration.

RefPro Refrigeration supplies custom-made plug-in frozen food display cabinets, refrigeration equipment, cold room solutions, shop fittings, and customization projects. All work, whether big or small, requires attention to detail. All our refrigeration work is executed to the highest technical standards to guarantee many years of service. For RefPro, good customer relationship is paramount and we strive to reach all clients' requirements. We believe in 100% client satisfaction.





€549
exl.VAT
€647 inc.VAT

LEMON 600CD



Gross Capacity	386 LT
NET Capacity	337 LT
Outer Dimensions	600*605*1809 mm
Product Project Field	0.37 m ²
Operating Temperature	+1/+10
Refrigerant Gas	R600
Voltage/Frequency	220-240/50
Thermostat	Digital(600CD)
Glass	Double tempered
Door Frame	Plastic
Inner Body	Galvanized + pre-painted 0.5mm metal sheet
Exterior Body	Galvanized + pre-painted 0.5mm metal sheet
Canopy	Lightened Canopy
Cooling System	Ventilated
Evaporator Type	Rollbond
Evaporator Material	Aluminium
Condenser Type	Dust free Wired Condenser
Lighting	Vertical Led
Self Closing	Yes
Outer Body Color	Ral 9002 - White
Inner Body Color	Ral 9002 - White
Insulation Thickness	43 mm
Shelves	4 / PE coated
Adjustable Feet	2x adjustable feet
Wheel/Roller	4x rollers

Metal Shelves **€29 each exl. VAT**



€1395

exl.VAT

€1646 inc.VAT

LEMON 1270



Gross Capacity	1205 LT
NET Capacity	1105 LT
Outer Dimensions	1270*740*2065 mm
Product Project Field	0.93 m2
Operating Temperature	+1/+10
Refrigerant Gas	Std: R290
Voltage/Frequency	220-240/50
Thermostat	Digital
Pine	Double tempered
Door Frame	Plastic(1270)
Inner Body	Galvanized + pre-painted 0.5mm metal sheet
Exterior Body	Galvanized + pre-painted 0.5mm metal sheet
Canopy	Lightened Canopy
Cooling System	Ventilated
Evaporator Type	Fin type evaporator
Evaporator Material	Aluminium
Condenser Type	Dust free Wired Condenser
Lighting	LED at 3 sides: left+right+top
Self Closing	Yes
Outer Body Color	Ral 9002 - White
Inner Body Color	Ral 9002 - White
Insulation Thickness	43 mm
Shelves	4+4 / PE coated
Adjustable Feet	2x adjustable feet
Wheel/Roller	6x rollers

Metal Shelves €29 each exl. VAT



€1095
exl.VAT
€1292 inc.VAT

KIWI 630 WINE



Gross Capacity	558 LT
NET Capacity	510 LT
Outer Dimensions	630*740*2077mm
Product Project Field	0.46 m ²
Operating Temperature	+1/+10
Refrigerant Gas	R600
Voltage/Frequency	220-240/50
Thermostat	Digital
Glass	Double tempered+LOW-E+ARGON
Door Frame	FRAMELESS-full glass in aluminium
Inner Body	Galvanized + pre-painted 0.5mm metal sheet
Exterior Body	Galvanized + pre-painted 0.5mm metal sheet
Cooling System	Ventilated
Evaporator Type	Rollbond
Evaporator Material	Aluminium
Condenser Type	Dust free Wired Condenser
Lighting	LED horizontal & vertical
Self Closing	Yes
Outer Body Color	RAL9005-black
Inner Body Color	RAL9005-black
Insulation Thickness	43 mm
Shelves	4 shelves / PE coated
Adjustable Feet	2x adjustable feet
Wheel/Roller	4x rollers

Metal Shelves €29 each exl. VAT



KIWI 1270



€1695

exl.VAT

€2000 inc.VAT

Gross Capacity	1215 LT
NET Capacity	1095 LT
Outer Dimensions	1270*740*2077 mm
Product Project Field	0,93 m ²
Operating Temperature	+1/+10
Refrigerant Gas	R290
Voltage/Frequency	220-240/50
Thermostat	Digital
Glass	Double tempered+LOW-E+ARGON
Door Frame	FRAMELESS-full glass in aluminium
Inner Body	Galvanized + pre-painted 0.5mm metal sheet
Exterior Body	Galvanized + pre-painted 0.5mm metal sheet
Cooling System	Ventilated
Evaporator Type	Fin type evaporator
Evaporator Material	Aluminium
Condenser Type	Dust free Wired Condenser
Lighting	LED on 3 sides (left+right+top)
Self Closing	Yes
Outer Body Color	RAL9005-black
Inner Body Color	RAL9005-black
Insulation Thickness	43 mm
Shelves	4+4 shelves / PE coated
Adjustable Feet	3x adjustable feet
Wheel/Roller	6x rollers

Metal Shelves €29 each exl. VAT

KIWI 1620 3D



€2295
exl.VAT
€2708 inc.VAT



Gross Capacity	1560 LT
NET Capacity	1432 LT
Outer Dimensions	1620*740*2077 mm
Product Project Field	1,2 m ²
Operating Temperature	+1/+10
Refrigerant Gas	R290
Voltage/Frequency	220-240/50
Thermostat	Digital
Glass	Double tempered+LOW-E+ARGON
Door Frame	FRAMELESS-full glass in aluminium
Inner Body	Galvanized + pre-painted 0.5mm metal sheet
Exterior Body	Galvanized + pre-painted 0.5mm metal sheet
Cooling System	Ventilated
Evaporator Type	Fin type evaporator
Evaporator Material	Aluminium
Condenser Type	Dust free Wired Condenser
Lighting	LED on 3 sides (left+right+top)
Self Closing	Yes
Outer Body Color	RAL9005-black
Inner Body Color	RAL9005-black
Insulation Thickness	43 mm
Shelves	4+4 shelves / PE coated
Adjustable Feet	3x adjustable feet
Wheel/Roller	6x roller

Metal Shelves **€19 each exl. VAT**



€1145
exl.VAT
€1351 inc.VAT

KIWI 630 WINE



Gross Capacity	558 LT
NET Capacity	510 LT
Outer Dimensions	630*740*2077mm
Product Project Field	0.46 m²
Operating Temperature	+1/+10
Refrigerant Gas	R600
Voltage/Frequency	220-240/50
Thermostat	Digital
Glass	Double tempered+LOW-E+ARGON
Door Frame	FRAMELESS-full glass in aluminium
Inner Body	Galvanized + pre-painted 0.5mm metal sheet
Exterior Body	Galvanized + pre-painted 0.5mm metal sheet
Cooling System	Ventilated
Evaporator Type	Rollbond
Evaporator Material	Aluminium
Condenser Type	Dust free Wired Condenser
Lighting	LED horizontal & vertical
Self Closing	Yes
Outer Body Color	RAL9005-black
Inner Body Color	RAL9005-black
Insulation Thickness	43 mm
Shelves	Wooden shelves
Adjustable Feet	2x adjustable feet
Wheel/Roller	4x rollers

Wooden Shelves €45 each exl. VAT



KIWI 1270 WINE



€2045
exl. VAT
€2413 inc. VAT

Gross Capacity	1215 LT
NET Capacity	1095 LT
Outer Dimensions	1270*740*2077 mm
Product Project Field	0,93 m ²
Operating Temperature	+1/+10
Refrigerant Gas	R290
Voltage/Frequency	220-240/50
Thermostat	Digital
Glass	Double tempered+LOW-E+ARGON
Door Frame	FRAMELESS-full glass in aluminium
Inner Body	Galvanized + pre-painted 0.5mm metal sheet
Exterior Body	Galvanized + pre-painted 0.5mm metal sheet
Cooling System	Ventilated
Evaporator Type	Fin type evaporator
Evaporator Material	Aluminium
Condenser Type	Dust free Wired Condenser
Lighting	LED on 3 sides (left+right+top)
Self Closing	Yes
Outer Body Color	RAL9005-black
Inner Body Color	RAL9005-black
Insulation Thickness	43 mm
Shelves	Wooden shelves
Adjustable Feet	2x adjustable feet
Wheel/Roller	6x rollers

Wooden Shelves €45 each exl. VAT



APPLE 150

Gross Capacity	667 LT
NET Capacity	488 LT
Outer Dimensions	1508*952*894 mm
Product Project Field	1,4 m ²
Operating Temperature	NT -18/-23 ; PT -1/+5
Refrigerant Gas	R290
Voltage/Frequency	220-240/50
Thermostat	Digital
Glass	Curved-tempered- Low-E
Frame	Aluminum
Frame Resistance	Hot Gas
Inner Body	Galvanized + pre-painted 0.5mm metal sheet
Exterior Body	Galvanized + pre-painted 0.5mm metal sheet
Cooling System	Static
Lighting	LED
Lighting On/Off button	Yes
Outer Body Color	Ral 9005 black
Inner Body Color	Ral 9002 white
Insulation Thickness	71 mm
Bumper Plate	1 line at front
Adjustable Feet	4x
Shelves	Included

€895

exl.VAT

€1056 inc.VAT

Dividers Grill €25 each exl. VAT

APPLE 188

Gross Capacity	870 LT
NET Capacity	643 LT
Outer Dimensions	1879*952*894 mm
Product Project Field	1,74 m ²
Operating Temperature	NT -18/-23 ; PT -1/+5
Refrigerant Gas	R290
Voltage/Frequency	220-240/50
Thermostat	Digital
Glass	Curved-tempered- Low-E
Frame	Aluminum
Frame Resistance	Hot Gas
Inner Body	Galvanized + pre-painted 0.5mm metal sheet
Exterior Body	Galvanized + pre-painted 0.5mm metal sheet
Cooling System	Static
Lighting	LED
Lighting On/Off button	Yes
Outer Body Color	Ral 9005 black
Inner Body Color	Ral 9002 white
Insulation Thickness	71 mm
Bumper Plate	1 line at front
Adjustable Feet	4x
Shelves	Included

€1195

exl.VAT

€1410 inc.VAT

APPLE 212

Gross Capacity	1005 LT
NET Capacity	745 LT
Outer Dimensions	2124*952*894 mm
Product Project Field	1,97 m ²
Operating Temperature	NT -18/-23 ; PT -1/+5
Refrigerant Gas	R290
Voltage/Frequency	220-240/50
Thermostat	Digital
Glass	Curved-tempered- Low-E
Frame	Aluminum
Frame Resistance	Hot Gas
Inner Body	Galvanized + pre-painted 0.5mm metal sheet
Exterior Body	Galvanized + pre-painted 0.5mm metal sheet
Cooling System	Static
Lighting	LED
Lighting On/Off button	Yes
Outer Body Color	Ral 9005 black
Inner Body Color	Ral 9002 white
Insulation Thickness	71 mm
Bumper Plate	1 line at front
Adjustable Feet	4x
Shelves	Included

€1395

exl.VAT

€1646 inc.VAT

APPLE 250

Gross Capacity	1216 LT
NET Capacity	905 LT
Outer Dimensions	2508*952*894 mm
Product Project Field	2,33 m ²
Operating Temperature	NT -18/-23 ; PT -1/+5
Refrigerant Gas	R290
Voltage/Frequency	220-240/50
Thermostat	Digital
Glass	Curved-tempered- Low-E
Frame	Aluminum
Frame Resistance	Hot Gas
Inner Body	Galvanized + pre-painted 0.5mm metal sheet
Exterior Body	Galvanized + pre-painted 0.5mm metal sheet
Cooling System	Static
Lighting	LED
Lighting On/Off button	Yes
Outer Body Color	Ral 9005 black
Inner Body Color	Ral 9002 white
Insulation Thickness	71 mm
Bumper Plate	1 line at front
Adjustable Feet	4x
Shelves	Included

€1895

exl.VAT

€2236 inc.VAT



SPECIAL OF THE DAY
Apple & almond
Pie
Served with ICE CREAM

Knaus
£2.7

CHERRY
AND
CHOCOLATE
TRUFFLE
TART
£2.50

APPLE &
ALMOND
PIE
Served with
ICE CREAM


PROFITEROL
TART
£2.50

MARIN 1000

Installation	Plug-in
Refrigeration	Ventilated
Dimensions	1340*750*1950 mm
Compressor	Hermetic
Operating Temperature	-18/-16 °C
Refrigerant Gas	R290
Defrost	Hot gas
Climate Class	7 (35 C° / 70% RH)
Front Glass	Heated double glasses
Side Panels	Insulated white prepainted sheet
Inside Color	White prepainted sheet
Opening System	Door with automatic closure
Doors	2 doors
Shelves	5+1 bottom (RV)
Lighting	LED 5700 K
Equipment Handling	Adjustable feet
Outer Body Color	White
Inner Body Color	White

TB 340 RS
€3495
 exl.VAT
 €4124 inc.VAT





MARIN TB 470

Installation	Plug-in
Refrigeration	Statica; Ventilated
Dimensions	670*740*1935 mm
Compressor	Hermetic
Operating Temperature	RV TB -18/-16 °C; RS TB -18 °C
Refrigerant Gas	R290
Defrost	Manual; Hot gas
Climate Class	7 (35 C° / 70% RH)
Front Glass	Heated double glasses
Side Panels	Insulated white prepainted sheet
Inside Color	White prepainted sheet
Opening System	Door with automatic closure
Doors	1 door (1P)
Shelves	7+1 bottom (RS); 5+1 bottom (RV) 542 x 392 mm
Lighting	LED 5700 K
Equipment Handling	Rollers
Outer Body Color	White
Inner Body Color	White

Static
€1395
 exl.VAT
 €1646 inc.VAT

Ventilated
€1895
 exl.VAT
 €2236 inc.VAT

MARIN TB 340

Installation	Plug-in
Refrigeration	Statica; Ventilated
Dimensions	520*740*1935 mm
Compressor	Hermetic
Operating Temperature	RV TB -18/-16 °C; RS TB -18 °C
Refrigerant Gas	R290
Defrost	Manual; Hot gas
Climate Class	7 (35 C° / 70% RH)
Front Glass	Heated double glasses
Side Panels	Insulated white prepainted sheet
Inside Color	White prepainted sheet
Opening System	Door with automatic closure
Doors	1 door (1P)
Shelves	7+1 bottom (RS); 5+1 bottom (RV) 392 x 492 mm
Lighting	LED 5700 K
Equipment Handling	Rollers
Outer Body Color	White
Inner Body Color	White

Static
€1295
 exl.VAT
 €1528 inc.VAT

Ventilated
€1795
 exl.VAT
 €2118 inc.VAT




CRISTAL TOWER

Installation	Plug-in
Refrigeration	Ventilated
Dimensions	725 x 664 x 1990 mm
Compressor	1 Hermetic
Operating Temperature	-18/+10°C (TB/TN) +1/+10°C (TN)
Refrigerant Gas	R404A
Defrost	Hot gas (TB/TN) Off cycle (TN)
Climate Class	4
Power supply	230V / 1Ph / 50Hz
Capacity (gross/net)	510 / 372 lt
Operating Conditions	30 °C / 55 %RH
Energy Saving	LED + EC Fan motor
Doors	Tempered glass
Shelves	Glass shelves with supports (5)
Shelf dimensions	∅ 480 (TB/TN) 580x465mm (TN)
Net weight	245 kg
Outer Body Color	Black

725 RV TN
€2795
 exl.VAT
 €3298 inc.VAT





SPECIAL OFFERS



Stainless Steel Double Door Fridge / Freezer (TT-BC366L)



€1795
exl.VAT
€2118 inc.VAT

Model	TT-BC366L
Volume	950 L
Temperature	-10°C ~ -18°C
Dimensions	1220*760*2002 MM
Compressor	Embraco / Secop
Refrigerant	R404a
Cool Type	Ventilated
Voltage	220V50HZ
Light	LED Vertical Light
Cabinet Material	Stainless Steel 304
Door Material	Three Layer Glass with Heating Film automatic defrosting; self-closing door; with hidden lock

Stainless Steel Single Door Fridge/Freezer (TT-BC366H)



€1195
exl.VAT
€1410 inc.VAT

Model	TT-BC366H
Volume	450 L
Temperature	-10°C ~ -18°C / 0°C ~ +5°C
Dimensions	620*760*2002 MM
Compressor	Embraco / Secop
Refrigerant	R404a
Cool Type	Ventilated
Voltage	220V50HZ
Light	LED Vertical Light
Cabinet Material	Stainless Steel 304
Door Material	Three Layer Glass with Heating Film automatic defrosting; self-closing door; with hidden lock

L900 X H1370 MM 4 Shelves Refrigerated Bakery Display Case



Model	TT-MD78A
Capacity	340L
Temperature	+2°C-+8°C
Dimensions	900*810*1370mm
Shelves	4
Power	679 W
Net Weight	240kg
Compressor	EMBRACO
Cabinet Material	Stainless Steel 304

€1495
exl.VAT
€1764 inc.VAT

Model	TT-MD78B
Capacity	470L
Temperature	+2°C-+8°C
Dimensions	1200*810*1370mm
Shelves	4
Power	893 W
Net Weight	285kg
Compressor	EMBRACO
Cabinet Material	Stainless Steel 304

€1695
exl.VAT
€2000 inc.VAT

Model	TT-MD78C
Capacity	600L
Temperature	+2°C-+8°C
Dimensions	1500*810*1370 mm
Shelves	4
Power	1078 W
Net Weight	325kg
Compressor	EMBRACO
Cabinet Material	Stainless Steel 304

€1995
exl.VAT
€2354 inc.VAT

L2000 X H1980 MM CE Vertical Air Curtain Refrigerator TT-SP290C



Model	TT-SP290C
Capacity	870 L
Temperature	+2°C--+10°C
Dimensions	1500x950x1980 MM
Refrigeration Power	1700 W
Lighting Power	196 W
Refrigeration Type	Ventilated
Voltage	220V50HZ
Refrigerant	R404A

€1495

exl.VAT

€1764 inc.VAT

Model	TT-SP290C
Capacity	870 L
Temperature	+2°C--+10°C
Dimensions	2000x950x1980 MM
Refrigeration Power	1700 W
Lighting Power	196 W
Refrigeration Type	Ventilated
Voltage	220V50HZ
Refrigerant	R404A

€2295

exl.VAT

€2708 inc.VAT

CONTACTS

SALES

sales@refpro.mt

(+356) 23956101/104/132

(+356) 79956107

AFTERSALES

support@refpro.mt

(+356) 23956107

(+356) 77801089



refpro_refrigeration



@RefProMalta



RefPro Refrigeration Ltd.

The Watercourse, Mdina Road,
Zone 2 Central Business District,
Birkirkara Malta CBD2010

(+356) 23956101/104/132

(+356) 79956107

support@refpro.mt

